



iT20
Telemetry Transmitter

About Edan

Edan is a healthcare company dedicated to improving the human condition around the world by delivering value-driven, innovative and high-quality medical products and services. For over 20 years, Edan has been pioneering a comprehensive line of medical solutions that address a broad range of healthcare practices including:

- Diagnostic ECG
- Patient Monitoring
- OB/GYN
- Ultrasound Imaging
- Point-of-Care Testing
- *In-Vitro* Diagnostics
- Veterinary

Healthcare professionals around the world depend on Edan's breakthrough medical technologies and outstanding customer support.



Global Headquarters:
Edan Instruments, Inc. | 15 Jinhui Road, Pingshan District, Shenzhen
518122 P.R. China | +86.755.26898326 | www.edan.com | info@edan.com

U.S. and Canada inquiries:
EDAN Diagnostics, Inc. | 9918 Via Pazar, San Diego, CA 92126
+1.858.750.3066 | www.edandiagnostics.com | edan-info@edandiagnostics.com

© Edan Instruments, Inc. All rights reserved. Features and specifications are subject to change without prior notice. No reproduction, copy or transmission may be made without written permission. Not all products or features are available in all countries, contact Edan for local availability.



ENG-PM-IT20-V1.0-20200311

iT20


Telemetry Transmitter



iT20

Telemetry Transmitter

Designed as a pocket size telemetry transmitter, iT20 works together with MFM-CMS central monitoring system via Wi-Fi connections. It provides constant ECG & SpO₂ monitoring for mobile cardiac patients throughout all the hospital departments.




Telemetry Monitoring System


- 64 units of iT20 can connect to MFM-CMS at the same time.
- With built-in Wi-Fi module, iT20 has no request for extra network setup.
- Nurse call & call patient function available on both iT20 and MFM-CMS.
- Real-time monitoring of ECG, RR, SpO₂, PR.
- IPX7 waterproof level, iT20 can prevent unexpected damages from water and withstand the cleaning and sterilization procedure.
- Automatic ECG cable identification of 3/5-lead wires as well as IEC/AHA types.
- History review with 240 hours of trend and up to 20,000 alarm events for each patient on MFM-CMS.

Parameter Configurations

- iSEAP™ ECG algorithm optimized for arrhythmia detection, pacemaker detection, ST analysis, and HR measurement via 3/5-lead ECG
- iMAT™ SpO₂ algorithm with outstanding motion resistance and low perfusion resistance performance
- Respiration rate measurement via impedance method
- Pulse rate measurement via SpO₂



Smart Lead Map



Multi-display Modes

