

iM70 VET / iM60 VET **Veterinary Monitor**

About Edan

Edan is a healthcare company dedicated to improving the human condition around the world by delivering value-driven, innovative and high-quality medical products and services. For over 20 years, Edan has been pioneering a comprehensive line of medical solutions that address a broad range of healthcare practices including:

- Diagnostic ECG
- Ultrasound Imaging
- Point-of-Care Testing

• In-Vitro Diagnostics

Veterinary

 Patient Monitoring OB/GYN

Healthcare professionals around the world depend on Edan's breakthrough medical technologies and outstanding customer support.



Global Headquarters:

Edan Instruments, Inc. | 15 Jinhui Road, Pingshan District, Shenzhen 518122 P.R. China | +86.755.26898326 | www.edan.com | info@edan.com

U.S. and Canada inquiries:

EDAN Diagnostics, Inc. | 9918 Via Pasar, San Diego, CA 92126

+1.858.750.3066 | www.edandiagnostics.com | edan-info@edandiagnostics.com

ENG-VM-iM70 VET & iM60 VET V1.0-20200226

 ϵ





iM70 VET / iM60 VET

Veterinary Monitor











iM70 VET 12.1" Color TFT-LCD Touch Screen

iM60 VET 10.4" Color TFT-LCD Touch Screen

Standard Parameters

■ 3/5-lead ECG, HR, RESP, EDAN SpO₂, EDAN NIBP, PR, 2-TEMP

Optional Parameters

 Nellcor OxiMax™ SpO₂, SunTech NIBP, 2-IBP, EDAN G2 CO₂ (Sidestream), Respironics CO₂ (Mainstream and Sidestream), Masimo Anesthesia Gas/O2 (iM70 VET)

Multiple Display Modes













Standard Display

Large Font

Trend View

OxyCRG

EtCO₂ Monitoring



EDAN G2 CO₂ (Sidestream)

- Superior water trap design for accurate monitoring
- iCARB™ algorithm with intelligent CO₂ pseudo wave identification technology
- Multiple sampling accessories as options

Respironics CO₂ (Mainstream/Sidestream)

- Plug & play module design
- Dehumidification tube instead of water trap
- Low sampling rate of 50ml/min

MASIMO Anesthetic Gas/O₂ (Mainstream/Sidestream)





- Unique plug & play module for mainstream anesthetic gas monitoring
- The no moisture sampling line design suitable for all clinical application
- Low sampling rate of 50ml/min

















Built-in Temporary Memory:

1200



200

Alarm Review

120 s Frozen Waveform









